UNCLASSIFIED

AD	NUN	MBER

AD480575

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited. Document partially illegible.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors;

Administrative/Operational Use; JUL 1964. Other requests shall be referred to Army Electronics Laboratory, Fort Monmouth, NJ. Document partially illegible.

AUTHORITY

darpa ltr 6 dec 1972

FK

Ionospheric Data Report - July 1764



IONOSPHERIC DATA: BANGKOK, THAILAND

Compiled by: VICHAL T. NIMIT

Prepared for:

U.S. ARMY ELECTRONICS LABORATORIES FORT MONMOUTH, NEW JERSEY


CONTRACT DA-36-039-AMC-00040(E) ORDER NO. 5384-PM-63-91

SPONSORED BY THE ADVANCED RESEARCH PROJECTS AGENCY
FOR THE
THAI-U.S. MILITARY RESEARCH AND DEVELOPMENT CENTER
SUPREME COMMAND HEADQUARTERS
BANGKOK, THAILAND



STANFORD RESEARCH INSTITUTE

MENTO BY D. D. CLORNIA




Deal Mark

BEST AVAILABLE COPY

INSTORUS RESEARCH INSTITUT







6 / IONOSPHERIC DATA: BANGKOK, THAILAND

Prepared for:

U.S. ARMY ELECTRONICS LABORATORIES FORT MONMOUTH, NEW JERSEY

CONTRACT DA-36-039-AMC-00040(E)

Compiled by: VICHAI I. NIMIT,

SPONSORED BY THE ADVANCED RESEARCH PROJECTS AGENCY
FOR THE
THAI-U.S. MILITARY RESEARCH AND DEVELOPMENT CENTER
SUPREME COMMAND HEADQUARTERS
BANGKOK, THAILAND

/332500/

CONTENTS

MINC Term Desci Quali	in				N	D	- 5	Y	R/I	178																							
Desci		011																															,
	vu																																
wan								S																									ć
Desci		-	•					cal.																									4
Multi																																	٠
AVAMAUL	FLVE	. 1	ŧO.	***	J.C	CTI) II	2	II	()I	111	3.24	R	٠	•	•	٠	•	٠	•	*	*	•	٠	•	•	•	۰	٠	•	÷	9	6
					-																												7
																																	7
	A	•																															8
• -																																	S
																																	10
																																	11
	*	•																															12
•																																	13 14
																																	15
																																	16
																																	17
																																	18
																																	19
an Va	lu																																20
								1	L	L	US	T	\mathbb{R}	ΑI	'IC	NC	S																
	000) F ₂	000) F ₂	000) F ₂	000)F ₂	ooo) F ₂	ooo) F ₂	ooo) F ₂	ooo) F ₂	ooo) F2	ooo) F2	ooo) F2	ooo) F2	ooo)F ₂	000) F ₂	900) F ₂ 900) F ₁ s of E _s an Values	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	ooo) F ₂ s of E _a an Values	ooo) F ₂	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$	$(000) \mathrm{F}_2$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_1$ $(000) \mathrm{F}_2$ $(000) \mathrm{F}_3$ $(000) \mathrm{F}_4$ $(000$				

1 INTRODUCTION

Ionospheric observations are being carried out at the Laboratory of the Military Research and Development Center at Bangkok, Thailand, a joint United States-Thailand organization. A Model C-2 vertical-incidence sounder supplied and operated by the United States Army Radio Propagation Agency has been installed there. Table I gives pertinent information about the site.

Table I

VERTICAL-INCIDENCE SOUNDER SITE

AT BANGKOK, THAILAND

Geog	graphic	Geoma	ignetic
Latitude	Longitude	Latitude	Longitude
13.73°N	100.57°E	2.5°N	169.83°E

Dip angle: 10°N

Distance from dip equator: 450 km

Equipment:

Instrument: Type C2 (automatic)

PRF: 60 pps

Frequency sweep time: 30 sec

Frequency sweep range: 1 to 25 Mc

Pulse duration: 50 µsec

Peak pulse power: approximately 10 kw.

The cooperation and participation of staff members of the Thailand

Ministry of Defense and the support of the United States Advanced Research

Projects Agency, the United States Army Electronics Laboratories, and the United States Army Radio Propagation Agency made it possible for the data presented in this report to be accumulated.

II TERMINOLOGY AND SYMBOLS

The terminology and symbols used in this data report are in accordance with the conventions established by the World Wide Soundings Committee. 1

A. TERMINOLOGY

foF2 foF1 foE	The ordinary wave critical frequency for the F_2 and F_1 layers and the E region, respectively.
foEs	The ordinary wave top frequency corresponding to the highest frequency at which a mainly continuous Es trace is observed.
fbEs	The blanketing frequency of an Es layer, i.e., the lowest ordinary wave frequency at which the Es layer begins to become transparent. (This is usually determined from the minimum frequency at which reflections from layers at greater heights are observed.)
£	The frequency heless which we cohoos are chrowed

fmin The frequency below which no echoes are observed.

 $M(3000)F_2$ The maximum usable frequency factor for a path of 3000 km for transmission by the F2 layer.

h' F2 The minimum virtual height of the ordinary wave trace for the highest stable stratification in the F region.

h'F The most significant F-region virtual height parameter, that for the lowest F-region stratification. (Thus h'F is identical with the current h'F2 when F-region stratification is absent, i.e., at night, and with current h'F1 when F1 stratification is present.)

¹W. R. Piggott and K. Rawer, <u>URSI Handbook of Ionogram Interpretation and Reduction of the World Wide Sounding Committee</u> (Elsevier Publishing Company, Amsterdam, London, New York, 1961).

B. DESCRIPTIVE LETTERS

Certain effects observed on ionograms may make it difficult or impossible to obtain accurate numerical values. The descriptive letters listed below, when used alone indicate, in general, the presence of a phenomenon that may have influenced the measurement. Qualifying letters (Sec. C) indicate the nature of the uncertainty.

- A A lower thin layer present, e.g., Es
- B Absorption in the vicinity of Imin
- C Any nor-ionospheric reason
- D The upper limit of the normal frequency range
- E The lower limit of the normal frequency range
- F Spread echoes present
- G Ionization density of the layer too small for measurement
- II Stratification present
- L No sufficiently definite cusp between layers of the trace
- M Ordinary and extraordinary components indistinguishable
- N Conditions such that the measurement cannot be interpreted
- O Measurement referring to the ordinary component
- R Attenuation in the vicinity of a critical frequency
- S Interference or atmospherics
- T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful
- V Forked trace
- W Echo lying outside the height range recorded
- X Measurement referring to the extraordinary component
- Y Intermittent trace
- Z Third magneto-ionic component present.

C. QUALIFYING LETTERS

- D Greater than. . .
- E Less than. . .

- I An interpolated value
- J Ordinary component characteristic deduced from the extraordinary component
- O Extraordinary component characteristic deduced from the ordinary component
- T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful
- U Uncertain numerical value
- Z Measurement deduced from the third magneto-ionic component.

D. DESCRIPTION OF STANDARD TYPES OF E.

The eight standard types of Es are identified by lower-case letters: f, l, c, h, q, r, a, and s. These letters suggest the corresponding names flat, low, cusp, high, equatorial, retardation, auroral, and slant, respectively, L., are not restrictive. The letter n is used to designate an Es trace that does not correspond to one of the eight types. The classifications are:

- An Es trace showing no appreciable increase of height with frequency, usually relatively solid at most latitudes. (This classification may be used only at night; it appears that flat Es traces observed in the daytime are classified according to their virtual height: h or !)
- A flat E_{ϵ} trace at or below the normal E-region minimum virtual height in the day or below the E-region minimum virtual height at night.
- c An Zs trace showing a relatively symmetrical cusp at or below fc E. (This is usually continuous with the normal E trace, although when the deviative absorption is large, part or all of the cusp may be missing—usually a daytime type.)
- An Es trace showing a discontinuity in neight with the normal E-region trace at or above fo E and an asymmetrical cusp. (The low-frequency end of the Es trace lies clearly above the high-frequency end of the normal E trace—usually a daytime type.)
- q An Es trace that is diffuse and nonblanketing over a wide frequency range, the spread being most pronounced at the upper edge of the trace. (This type is common in daytime in the vicinity of the magnetic equator.)
- An Er trace that is nonblanketing over part or all of its frequency range, showing an increase in virtual height at the high-frequency

end similar to group retardation. (This is distinguished from the usual group retardation—as in the case of an occulting thick E region—by the lack of group retardation in the F traces at corresponding frequencies and the lack of complete blanketing.)

- a An E_s pattern having a well-defined flat or gradually rising lower edge with stratified and diffuse (spread) traces present above ic. (These sometimes extend over several hundred kilometers of virtual height.)
- s A diffuse Es trace that rises steadily with frequency, usually emerging from another type of Es trace. (The rising trace alone is classified as s; the horizontal trace is classified separately. At high latitudes, the slant trace usually starts to rise from a horizontal Es trace, such as l or f, at frequencies that greatly exceed the E-region critical frequency, e.g., about 6 Mc; whereas at low latitudes it usually rises from equatorial-type Es, q, c, or h, at frequencies near the regular E critical frequency. Type s is never used to determine for Eunless echoes clearly identifiable as Es choes are seen.)
- n An E trace that cannot be classified as one of the standard types. (This must not be used for intermediate cases between any two classes. A choice should always be made whenever possible, even if it is doubtful.)

E. MULTIPLE REFLECTIONS FROM Es

When the ionogram shows the presence of multiple reflections from ..., the number of traces seen will be recorded with the letter indicating the type.

Characteristic: fmin

IONOSPHENIC I

Sweep: 1 Mc to 25 Mc i

as a final and a second second

July 1964

Observed at:

Mangkok, Thailand

Lat. 13.73°N, Long. 100.57°E

105°E Mean Time (GMT + 7 hours)

Hour		AL. 79% MANAGEMENT				T		1				THE RESIDENCE OF THE PERSONNELS.
11011	00	01	02	03	64	05	06	07	1 08	09	10	11
Date										0.5	^~	^^
1			CO.			o danielos ellibriagopologos					a national contractions	
2	C C	C C	C	C	C	С	С	C	C	C	С	С
3	C	C	С	C	C	С	C	C	C	С	С	C
4	C	C	C	C	C	C	C	С	С	С	C	C
5	c	C	C C	C C	С	C	C	C	C	C -C	C	C
6	С	C	C	C	C	C	C	C	C	C	c	-c
7	014#	E014S	017	E013S	013	E015S	E015S	E016S	E0233	E023S	C E026S	C
8	E015S	021	019	B	013	014	E019S	022	023	935		029
9	021	B	022	019	023	014	E018S	E018S	E025S		031	031
10	02G	014	017	014	014	015	020	E018S	E023S	E024S	033	035
11	017	014	019	B	013	015	E0185	019	021	019 F025S	023 E022S	029
12	018	022	022	023	013	015	018		1			E027S
13	024	024	024	015	023	013	021	019 025	021 025	026 022	025 021	030
14	E016S	EOLOE	E010E	E010E	E010E	E010E	E016S	E016S	E017S	E021S	021	025 E0283
15	015	014	014	014	014	014	015	017	020	021	022	016
16	022	022	E020E	024	024	024	E022S	023	029	021	024	029
17	С	C	C	C	C	C	C C	C	C	E026S	E026S	
18	č	C	Ċ	C	G	C	C	C	C	C C	C C	028 C
19	c	c	c	C	c	C	c	C	C	C	C	6
20	U022C	U022C	E 020E	Č	C	c	C	č	C	U033C	034	
21	U026C	UU22C	U024C	J022C	ć	c	c	C	026	00330	030	036 032
22	E 02 0E	021	022	C	C	C	c	C	C	028	024	052
23	В	В	В	023	025	n	028	026	034	029	033	029
24	023	024	021	024	E0225	022	022	E030S	E031S	030	E0315	E032S
25	027	025	B	B	В	025	024	028	027	030	032	
26	В	U027C	U022C	U022C	U022C	023	024	028	028	030	032	031 031
27	025	025	021	00253	B	U924C	U027C	U031C	U029C	11030C	U032C	031
28	023	022	U025C	В	C	Ç	00270	E035S	E030S	E028S	033	031
29	С	C	C	C	C	Ċ	C	C	033	U035s	U036S	088
30	В	В	В	В	В	В	016	E028S	033	0398	00365	033
31	022	020	В	022	021	023	028	024	031	030	030	033
Median	022	022	021	022	019	015	020	024	027	028	030	031
Count	18	18	17	14	14	15	17	18	20	23	23	23
ບວຸ	023	024	022	023	023	023	025	028	030	030	032	032
ΓÓ	017	0.18	018	014	013	014	017	018	024	024	024	029
QR	6	6	4	9	10	9	8	10	6	6	8	3
		1					THE RESERVE THE PERSON NAMED IN COLUMN 1	L				_

^{*} Tabulation of 014 = 1.4 Mc.

ATTENTION: The accuracy of the frequency parameters in this bulletin is of the C-2 sounder from 15 July to 21 September 1964. The original frequency is estimated to have been approximately 1 Me.

SPHERIC DATA o 25 Mc in 0.5 minute ly 1964

LABORATOR S	principal and discount and	M. ANADOMESIS MINISTRALIA	Description of the Party of the	CONTRACTOR AND ADDRESS OF THE PERSON OF THE	A PROPERTY AND ADDRESS OF THE PARTY.	Name and Address of the Owner, where the Popular Printers is not the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, w							
	11	12	. 	14	15	16	17	18	19	20	21	22	23
	С	С	С	С	С	С	C	С	С	С	С	С	С
	C	C	Ç	C	С	C	C	C	С	С	C	C	C
1	С	С	С	C	С	С	C	C	C	C	С	C	С
	С	C	С	C	C	С	C	С	С	. C	C	С	С
, -	C	C	С	C	C	C	C	С	C	С	C	C	C
	C	C	С	C	C	C	С	C	C	C	C	E015S	E014S
68	029	032	033	024	030	027	021	E0163	E0158	E017S	021	023	E0178
1	031	050	047	031	031	C	E025S	E6175	E0188	E0178	E024S	020	E0178
3	035	E0368	E039S	E030S	024	022	E0188	EC168	E016S	E0168	E0168	E016S	E017S
3	029	028	U31	022	027	019	019	E0188	E0195	E018S	E0198	025	018
3.8	E027S	030	E 029S	E023S	022	020	023	018	015	E016S	30.78	E0178	022
j	030	025	025	028	024	025	618	025	018	021	E0138	E017S	023
	025	E029S	029	E024S	023	022	024	E018S	E0178	E014S	E023S	EC18S	E027S
3	E028S	030	029	026	С	C	C	C	E0138	014	014	015	015
	016	017	E0248	017	015	015	E0188	E0168	E016S	013	E0128	В	E 02 OE
5	029	034	034	030	027	026	028	E0268	023	023	E026S	E0288	C
S	028	C31	031	E026S	026	E027S	024	E0223	E025S	E0198	E026S	C	0
	С	030	000	028	1726	026	026	E026S	0	C	C	C	C
ā	С	E030c	EC30S	E030S	E0255	E0268	E0268	E0228	E023S	E0228	E0228	E0225	E0225
1	036	036	040	E030S	026	027	E0308	E0238	E026S	E0265	U015C	U0260	U026C
)	032	E032S	E032S	С	C	С	Ç	C	C	C	C	C	E021S
i.	031	E0353	029	027	027	E028S	930	025	032	029	E030S	E0298	023
	029	030	031	030	025	027	028	U025S	026	026	U029S	E0265	В
S	F032S	E0328	E032S	E031S	EU26S	E025S	E0308	630	E0265	024	029	025	В
	031	025	029	029	027	E0285	E028S	E026S	E026S	E0275	E0298	E0295	В
	031	032	033	028	027	032	E032S	EC27S	028	E0298	034	928	027
IC.	031	038	036	E032S	034	032	027	E022S	024	023	E0315	В	025
1	033	031	032	030	031	028	030	029	C	С	C	C	C
S	038	037	036	031	028	028	E029S	030	024	E027S	E027S	В	В
	CC3	EJ44S	033	032	С	С	С	C	С	026	029	029	022
	030	033	033	031	036	E027S	024	024	024	С	С	С	C
	UsI	932	032	032	027	027	026	025	023	022	024	024	022
	23	25	25	24	22	21	22	22	21	21	21	18	17
	032	036	033	036	028	028	029	026	026	026	029	028	024
	029	030	-72.0	330	025	024	023	018	017	017	017	017	017
	\$	6	4	6	3	4	6	8	9	9	12	11	7
	American 4	Marriage Science of					L			<u> </u>		i	1

bulletin is questionable because of an error in frequency markers briginal frequency parameters have been increased by 1 Mc since the



Characteristic: foF2

IONOSPHERIC DA

Sweep: 1 Mc to 25 Mc in

July 1964

Observed at:
Bangkok, Thailand
Lat. 13.73°N, Long. 100.57°E
105°E Mean Time (GMT + 7 hours)

									r-1,			
Hour Date	60	01	02	03	04	05	06	07	20	09	10	11
					_	_	29	-		_	-	
1 2	-	~	••	-		_	-	_	-	-		_
3	-	-	_	_	_	_		~	_	-	_ 1	
4	-	_	_	_	_	**	_		_	_		
5	_		_	_	_	-	_			_	_	_
6	_			_	-	_		_	_		_	_
7	-	F	021	U016S	019	019	036	U044S	050	J054S	061	063
8	031	024	023	B	020	A	037	051	967	072	970	J065S
9	029	B	A	A	A	A	042	052	59	056	U058S	U055S
10	029 A	A	F	A	A	A	036	065	005	066	071	072
11	71 76	031	Ā	В	F	A	038	08	050	065	070	059
12	۶	A	F	7	Å	A	047	G.C	071	072	053	A
13	F	F	F	F	A	Δ	037	059	060	062	065	072
14	030	F	F	F	F	F	U042F	060	U080S	076	070	1062S
15	040	034	027	F	F	029	045	U050S	U052S	057	U058S	J0575
16	A	A	D030	ŀ	F	A	A	044	Α	056	А	Α
17	Ċ	c	C	С	С	С	С	С	С	044	047	050
18	С	C	C	Ċ	С	С	C	C	С	С	С	С
19	c	C	C	c	С	С	C	С	С	C	c	С
20	U031C	U027C	C	С	С	c	C	С	С	U075C	068	D065R
21	U045C	U045C		F	С	С	С	С	065	066	064H	060H
22	UO16F	F	F	С	С	С	С	С	С	062H	063H	054H
23	В	В	3	A	A	В	038	060	063	068	070	070
24	A	A	A	Λ	A	A	032	054	060	066	069	063H
25	F	F	В	В	В	A	U032C	U045C	U060C	U070C	U062C	067H
26	В	Α	Α	Α	A	A	Α	060	065	065H	U061S	05SH
27	F	F	F'	F	В	F	U034C	U052C	U067C	U065C	U055C	Α
28	Α	A	Α	В	С	C	С	U046S	U065S	U0665	Α	Α
29	С	С	С	С	С	С	C	С	Α	Α	U050S	A
30	В	В	В	В	В	В	035	053	U052S	U054S	U049S	058H
31	030	F	В	Α	Α	Α_	034	049	060	063H	Q63H	054
Median	031	031	025	-		_	037	052	061	065	063	081
Count	8	5	4	1	2	2	15	18	18	22	21	18
					46		-					
UQ	035	039	029	-	-	-	042	060	065	068	070	065
IQ	030	026	022	-	-	-	034	049	060	057	057	056
QR	5	13	7	-	-	-	8	11	5	11	13	9
<u></u>				J		/-		A		-		

Tabulation of 028 = 2.8 Mc.

ATTENTION: The accuracy of the frequency parameters in this bulletin of the C-2 sounder from 15 July to 21 September 1964. The original frerror is estimated to have been approximately 1 Mc.

OSPHERIC DATA to 25 Mc in 0.5 minute

o	11	12	13	14	15	16	17	18	19	20	21	22	23
-	- j	-	ш	*-	-	-	-	-	-			-	-
- 1	-	-	~	-		-	-	-	-	-	***	-	-
 	~	-	-	-		,-	-	-	-	rm.	-		
	-	-	-	-	-	-	*	-	-	-	-		-
t l	-	-		.544	~	-	***	-		-	-	-	- ,
.	-	-	-	-	-	-	-	-	-	-		J059S	028*
31	063	066	966	061	069	068	085	088	U066S	U050S	U047S	046	U042S
70	J065S	066	075	083	093	C	092	085	102	074	049	042	U045F
588	U0558	058	064	067	066	U072S	U080S	075	U072S	Α	U050S	049	037
71 70	072	A	062	070	080	072	100	D1058	U065S	J060S	U055S	Α	F
	059	062	069	075	080	087	095	095	U094S	078	U060S	U050S	F
53	A	064	084	081	085	070	087	087	102	085	072	061	F
35	072	072	U062S	070	081	086	085	101	U1143	U050S	037	U035F	032
70	U062S	S	S	052	C	С	C	С	063	061	042	036	030
58S	U057S	055	U056S	U057S	064	U0668	U072S	081	078	050	030	В	Α
1	A	Α	049	052	U055S	064	U075S	090	059	U045S	036	F	С
17	050	U060S	055	U050S	U050S	U057S	U070S	U074S	U0738	U0588	U046S	С	С
C C 38	С	067H	071H	081	085	083	076	U092S	c	С	C	С	С
E_ 1	С	068	070	067H	066H	072	086	U080S	U065S	U060S	U042S	U034S	U022C
86	D065R	U63H	064H	066H	071	U0798	U080S	084	070	U061S	U047C	U042C	U045C
34H	06 OH	061	065	С	С	С	С	С	C	С	C	C	032
взн	054H	050	060	065	067H	Α	082	073	075	091	057	037	030
70	070	035	067	065H	U 0 55S	U062S	U060S	U075S	076	070	U 060 S	031	В
39	063н	058H	057H	Α	U0568	066	U069S	U1008	080	041	U040S	U035S	В
32C	067H	A	Α	062H	U062H	U063S	U062S	U072S	080	067	U036S	U031S	В
318	056H	U062S	A	062	062H	075	069	075	084	081	U063S	Α	U042F
55C	Α	R	R	U050S	U0583	080	U054S	U070S	U070S	U 050 S	U035S	В	A
1	Α	Α	U052S	U062S	072	U066S	066	081	С	C	C	С	С
508	A	A	U062S	064H	061H	071	079	082	072	U050S	A'	В	В
198	058H	D050S	U048S	058	С	С	С	С	С	U050S	045	034	031
33H	054		Α	_ A	060	080	095	086	054	C	C	C	C
33	061	062	063	064	066	071	080	083	073	060	047	037	032
21	18	17	20	22	22	20	22	22	21	20	20	15	12
70	065	066	068	070	080	077	086	090	082	076	058	040	042
57	056	058	057	058	060	063	069	075	066	050	039	034	030
13	9	8	11	12	20	12	17	15	16	26	17	15	12

is bulletin is questionable because of an error in frequency markers original frequency parameters have been increased by 1 Mc since the

Characteristic: M(3000)F2

IONOSPHERIC DAT

Sweep: 1 Mc to 25 Me in

July 1984

Observed at:
Bangkok, Thailand
Lat. 13.73°N, Long. 100.57°E
105°E Mean Time (GMT + 7 hours)

Hour Date	00	01	02	03	04	05	06	07	08	09	10	1.1
				CN-00-C								
1	-	-	-	-	-	-		-	-	-	-	-
2	-	-	-	-	2000	***	~	UBP	***	400	-	-
3	-	-	48		-		-	-	-	-	-	-
4	-	•1	***	***	ant.	~	***	-	-	-	-	-
5		-	-	-	~	760		-		~	-	-
6	 	-	- 0.05	***	200	255	200	1131.00	270	-	025	220
7	F	F	265	U320S	320	355	330	U310S 320	270 310	S 260	225 280	230 S
8	290	300	300	4	350	A	300	1				U340S
9	230	В	A	A	A	A	340	340	300	250	U220S	250
10	A	A 240	F	A	A	A	350	340	330 290	290 250	270 200	255 255
11	F	340	A	В	F	A	350	310 335		240	240	1
12	F	A	F	F	A	A	350		290			A 240
13	F	F	F	F	A	A	320	330	260	265	260	U230S
14	300	F	F	F	F	F	U310F	31.0	U280S	280	230	
15	300	300	285	F	F	340	370	U35 OS	U325S	300	U250S	U225S
16	A	A	S	F	F	A	A	310	A	235	A	A
17	С	C	C	C	C	C	С	C	С	270	230	225
18	С	C	C	C	C	С	С	C	С	C	C	C
19	C	C	C	С	C	С	C	C	С	C	C	C
20	U370C	U340C	U35 0C	C	C	C	0	C	C	U270C	230	R 220H
21	U3200	U350C	F	F	C	C	C	С	285	260	230H	
22	U300F	F	F	С	C	C	C	C	C	255H	220H	210H
23	B	В	В	Λ	Α	В	350	320	270	250	240	260
24	A	A	A	A	A	A	330	330	300	280	250	240H
25	F	F	В	В	В	A	U340C	U320C	U310C	U280C	U260C	22 OH
26	В	V	A	A	A	A	A	340	300	260H	U230S	220H
27	F	F	F	F	В	F	U350C	U310C	U300C	U250C	U220C	A
28	A	A	A	B	C	С	С	U320S	03208	U250S	A	A
29	C	С	C	С	C	C	C	C	A	A	U250S	A
30	В	В	В	В	В	В	320	330	U270S	U240S	U2-30S	210H
31.	330	F	В	A	Α	A	360	300	270	250н	220H	290
Median	300	340	297	-	-	-	340	320	295	260	230	230
Count	8	5	4	1	2	2	15	18	18	21	21	16
UQ	325	345	325	-		-	350	335	310	270	225	245
IQ	295	300	275	-		-	320	310	270	250	223	220
QR	30	45	50	-	-	-	30	25	40	20	2	25
			L						1	L		

^{*} Tabulation of 320 = factor of 3.2.

ATTENTION: The accuracy of the frequency parameters in this bul of the C-2 annual from 15 July to 21 September 1964. The originaries is estimated to have been approximately 1 Mc.

PHERIC DATA 25 Mc in 0.5 minute

ly 1964

-			distribution in security	And Delivery Consultation of Street, Square,	MARKET PROPERTY AND ADDRESS OF THE LOCAL PROPERTY.	and the second second					A CONTRACTOR OF THE PERSONS ASSESSED.		,
	11	12	13	1:1	15	16	17	18	19	20	21	22	23
	-	-			-	-	_	-	-	Crastillosidad Afrikada Afri	-	-	-
ll	**		844	-		A.S	-	-	æs.	-	-	-	-
H	-	-	-	-	-	-	-	***	-	tr	**	-	-
	-	-	-	-	- 1		-	-	-	-	-	-	-
	-	-	***	~	~		-	-	-46	-		-	20.0*
1	200	nos		-	- D20	075	210	240	119400	***	# OG	S	320*
	230	235	250	260	270	275	310	340	U340S	1	U370S	350	U320S
	S	250	270	265	280	C	300	300	320	360	315		U310F
S	U340S	220	240	250	260	U260S	U290S	320	U340S	A	U310S	290	270
Ì	250	A	U230S	250	260	250	300	S	U330S	S	U300S	A	F
	255	260	230	230	270	290	300	300	U340S	330	U340S	U330S	F
	A	260	250	270	260	265	280	300	325	330	330	350	F
	240	225	U215S	230	280	290	290	315	U360S	U350S	530	U290F	260
	U230S	S	S	245	С	C	C	С	320	350	325	320	305
S	72258	210	U240S	U230S	220	U2568	U285S	330	375	375	215	В	Α
	Α	A	230	250	U275S	265	U310S	370	330	v330 s	335	F	C
	225	U2 05S	215	U260S	U250S	U270S	U280S	U290S	U330S	U310S	U320S	U	C
	C	230H	240H	265	295	310	320	U340S	С	C	С	C	С
	С	245	235	230H	215H	240	310	U320S	U325S	U300S	U310S		U310C
	R	225H	220H	225H	245	U270S	u290s	320	310	U320S	U320C		U310C
H	22 OH	240	250	C	С	C	С	С	С	C	С	C	310
Н	2108	250	255	240	240H	A	315	320	310	340	350	320	270
	260	250	250	230H	U250S	U2308	U280S	U315S	350	330	U360S	300	В
	240H	210H	22 OH	A	U245S	270	U300S	U340S	370	340	U330S	U280S	В
C	22 CH	Α	Α	210H	U260S	U240S	U320S	U300S	340	360	U370S	U340S	B
S	220H	U210S	Α	250	240H	270	280	290	330	350	U3603	A	U300F
C	Α	R	R	S	U250S	260	U300S	U310S	U35 0S	U350S	U310S	В	A
	Α	A	U230S	U22(S	280	U300S	295	320	С	С	С	C	C
S	Α	A	U250S	240H	24011	270	315	320	340	U350S	A	В	В
S	210H	S	U230S	270	С	С	С	С	C	U280S	350	340	330
H	290	Α	A	A	280	300	350	370	380	C	C	C	L.C.
	230	233	238	245	260	270	300	320	340	340	328	315	310
	16	16	20	21	22	20	22	21	21	19	20	14	12
	245	250	250	260	275	283	310	325	350	350	350	340	320
	220	215	230	230	245	255	290	300	325	330	313	290	285
	25	35	20	30	30	28	20	25	25	20	43	50	35
-				torre versioner	formation and	down commercial							C THE RESERVE THE PERSON NAMED IN COLUMN 2

in this bulletin is questionable because of an error in frequency markers. The original frequency parameters have been increased by I Mc since the

Characteristic: h'F2

IONOSPHERIC DA

Sweep: 1 Mc to 25 Mc in

July 1964

Observed at:

Bangkok, Thailand Lat. 13.73°N, Long. 100.57°E 105°E Mean Time (GMT + 7 hours)

1							1			1			
	Hour	40.5	0.4	00	0.2	04	05	06	07	08	09	10	11
		00	01	02	03	U*i	UU	00	O1	Ç.S			
	Date												
Γ	1		en:	_	-	-	-44		-	-	-	-	Safe Safe Safe Safe Safe Safe Safe Safe
	2	-	-	-	-	-	-	-	-	-	-	-	940
	3	-	_	-		-	-	-	-	-	-	-	-
	4	-	-	-	-		-		-	-	-	-	-
	5	-	-	-			-	-	-		-	-	-
	6		-		-	-	-	**	-	-		-	-
	7	-	_	-	-	-	-	-	-	-	400*	430	E460A
	8	-	_	-	-	-		-	:=	-	an.	410	360
	9	-	_	-	-	PT.	-	-	-	-	-	500	đ n 0
	10	-	-	-	-	-	-	-	-	-	360	430	400
	11	_	-	_	-	-	-	-	-	AB	400	460	450
	12	_	-	_	_	_	-	-	-	40	-	500	A
	13	_	_	_	-	_	-	-	-	E470A	E400A	375	360
1	14		_	_	-	-	_		-	-	340	380	-
	15		_	_	_	_	_	_	-	-	-	430	490
	16		_	_	_	_	-	-	_	А	450	A	A
L	17		_	_	_	_	_	_	_	-	_	420	460
	18			_	_	_	_	С	С	С	С	С	С
					_	-	_	c	C	C	С	С	С
	19		1	l		_	_	-	-	-	_	E470A	E5304
-	26	-	_	_	_] _		С	C	_	_	460	480
	21	-	1	_	_			C	C	С	_	390	480
	22	-	_		_			-		-	370	430	370
	23	-	_	1	l	_		_	E360A	320	E400A	350	430
	24	-	-	-	_	_		_	E O O O O	320	-	410	480
	25	-	-	-	_	_	_	_				480	470
	26	-	-	-	_	_	-	_		_		E520A	A
,	27	-	-	-	-		-	_		_	400	A	A
	28	-	-	-	-		-	c	C	A	A	540	A
	29	-	-	-	-	-	1	1	1 -	A	470	480	510
	30	-	-	-	-	-	-	-		350	100	430	450
-	31		- -			 -	 	 	 -				
	Median	_	-	-	-	-	-	-	-	360	400	430	460
	Count	-	-	-	-	-		-	1	3	11	21	17
+	บดู		-	-	-	-	-	-	-	410	400	480	485
	LQ				_	_	-	-	_	335	360	410	415
	QR			_	_	_	-	-	-	75	40	70	70
	Air							1					1

^{*} Tabulation of 400 = 400 km.

ATTENTION: The accuracy of the frequency parameters in this bulleting of the C-2 acunder from 15 July to 21 September 1964. The original freeror is estimated to have been approximately 1 Mc.

ERIC DATA 5 Mc in 0.5 minute

1964

		ARREST SAFETY AND ADDRESS OF THE PARTY.	AND THE PERSON NAMED IN									4	4
11	12	13	14	15	16	17	18	19	80	21	22	23	
-	-	-	-	19.4	12	_	-	-	-	-	-	-	
_	-	-	-	-	-	401	=-	-		-	**	-	
-	-	-	-	-	~	-	.00				-	-	
	-	~	-	-	-	-	-	-	=		-	-	
-	-	-	-	-	-	-			-	-	-	-	1
-	-	-	-		-	-	-	-	-		-		1
E460A	420	E530A	E420A	380	**	-	-	-	-	-	-	-	
360	E460B	350	360	320	С	310	-	- 1	-	-	-	-	
490	540	410	390	-	-	-	-	-	~	100	-	-	1
400	A	E500A	E440A	-	-	Ú4	-	-	-	-	-	-	
450	400	440	470	330	320	300	-	-	-	-	-	-	1
A	430	390	350	E440A	E400A	-	-	-	-	-	-	-	1
360	500	460	420	330	-	-	-	-	~	-	-	-	1
- 1	S	S	500	С	C	С	-	-	-	-	-	-	ı
490	550	480	450	390	390	-		-	-		-	-	1
A	Α	570	490	400	_	-	-	-	-	-	-	-	1
460	720	510	480	500	4C0	-	-	-	-	-	-	-	ı
C	410	430	350	310	300	- '	-	-	-	-	-	-	1
C	420	410	440	460	-	-	-	-	-	-	-	-	ı
E530A	500	430	460	380	340	-	-		-		-	-	1
480	420	390	С	С	С	C	-	-	-	-	-		
480	490	410	E480A	410	A	-	-	-	-	-	-	-	1
370	400	390	440	400	440	-	-	-	-		-	-	1
430	540	500	Α	400	360	320	-	-	-	-	-	-	1
480	A	A	540	380	-	-	-		-	-	-	-	1
470	550	, A	410	420	340	-	-	-	-	-	-	-	1
A	R	R	U640S	400	-	-	-	-	-	-	-		-
A	Α	540	450	330	320	-	-	-	-	-	-	1 -	1
Α	Α	430	370	540	350	300	-	-	-	-	-	-	1
510	460	560	390	С	С	С	-	-	-	-	-	-	1
430	Α	A	Α	370	-	-	-	-	-			-	4
460	460	435	440	395	350	305	_	-	_	-	-		1
17	17	20	22	20	11	4	_		_	-		-	1
-						1					 	+	4
485	540	505	480	415	400	315	-	-	-	-	-	-	1
415	420	410	390	350	320	300	-	-	-	-	-	1 -	ı
70	120	115	90	65	80	15	-	-	-	-		-	
		*	4										

pulletin is questionable because of an error in frequency markers iginal frequency parameters have been incressed by 1 Mc since the

2

Characteristic: h'F

IONOSPHERIC DA

Sweep: 1 Me to 25 Me in

July 1964

Observed at:
Bangkok, Thailand
Lat. 13.73°N, Long. 100.57°E
105°E Mean Time (GMf + 7 hours)

Hour	00	01	02	03	04	05	06	07	08	09	10	11
1	-	-			-		-	-	-	-	-	-
2		-	-	-			-	-	-	-	-	-
3	-	-	-	-	-	-	~	-	-	-	-	-
4		-	-	retr		***	-	-	-	-	-	-
5	••	-	-	,		4.5	-	-	-	-	-	· - Ì
6	-				**	-	-	-		-	-	-
7	370	340	E380B	280	250	260	220	220	190	A	A	A
8	340	E390B	300	В	260	A	280	220	E270A	210	E200A	210
9	520	В	A	A	A	A	240	220	230	E260A	200	195
10	A	A	280	A	Α 200	A	270	260	230	A 100	A 100	A 190
11	340	270	A 320	8	320	A	240	230	210	190	180	180
12	300 320	A 300	280 280	330 210	A A	A A	240 250	220 220	200 A	E240A A	200	A 180
13	300	250	230	230	260	270	250	1	1		A	
14	280	315	370	380	340	265	230	220 220	210 E300.	E210A 220	E210A 260	E210A 180
15 16	A A	310 A	310	240	250	A A	230 A	E230A	A	200	A A	A .
1.7	ĉ	Ĉ	C	C	C	C	Ĉ	C	c I	170	180	210
18	c	Ċ	C	č	c	Ċ	č	C	C	C	C	C
19	Ċ	Ċ	C	C	ΰ	C	c	c	c	C	C	c
20	230	250	250	C	C	č	Ċ	C	C	400	A	A
21	260	230	220	250	C	c	c	C	210	190	180	170
22	340	350	290	С	C	C	С	C	С	220	200	190
23	В	В	В	A	A	В	250	220	200	200	210	220
24	Α	A	A	A	А	Α	280	A	Α	Α	Α	Α
25	350	330	В	В	В	Α	270	240	210	200	190	E220A
26	В	A	A	A	A	A	A	260	310	400	210	Α
27	260	230	240	U250S	В	300	250	E270A	200	360	A	A
28	Α	A	A	В	С	С	С	220	200	190	Α	Λ
29	С	С	С	С	C	С	С	С	A	Λ	Α	Α
30	В	В	В	В	В	В	290	240	220	200	190	190
31	290	260	В	A	A	A	240	210	210	210	A	180
Median	310	285	285	250	260	268	250	220	210	210	200	190
Count	14	12	12	8	6	4	15	17	16	18	13	13
ທາ	340	335	315	365	320	285	270	240	230	240	205	210
LQ	280	250	245	235	250	263	240	220	200	200	185	180
QR	60	85	70	130	70	22	30	20	30	40	20	30

^{*}Tabulation of 220 = 220 km.

ATTENTION: The accuracy of the frequency parameters in this bulletin is que of the C-2 mounder from 15 July to 21 September 1964. The original frequence error is estimated to have been approximately 1 M..

SPHERIC DATA p 25 Mc in 0.5 minute

uly 1964

	11	12	13	14	15	16	17	18	19	20	21	22	23
	-		6.00	-	-	-	-	-		64	-	-	~
	-	in 1			-	-	-	-	u	-	-	-	-
	***		***	-	-	-	••	-	-	-	-	-	
	-	-	-	-	-		~	-	-		-		-
		~	-	-	-	-	~	-	-	-	-	-	-
		E-	-	-	**	-	cue .	-	-	-	-	220*	270
	A:	A	A	A	Α	240	205	240	230	230	250	250	E340A
DA D	210	В	В	200	E320A	С	A	E250A	250	220	270	280	250
P	195	A	200	180	190	230	210	270	230	Α	E300A	300	350
	Α	A.	A	Α	340	210	300	210	230	250	300	A	360
þ	180	200	205	170	E200A	A	Α	270	210	210	250	250	320
P	A	A	A	A	A	A	305	250	250	210	250	230	250
	180	170	160	A	200	200	340	280	210	210	276	300	310
λA	E210A	E210A	E200A	19(C	С	С	5	220	220	240	250	290
)	180	180	180	176	170	180	180	220	210	190	#580A	В	A
	A	Α	180	180	170	170	200	230	210	250	200	330	C
) ;	210	180	200	170	180	180	E230A	E220A	220	245	270	С	C
1	С	200	210	A	E280A	A	220	240	C	С	С	С	С
	C	200	200	200	190	200	E230A	220	210	240	270	320	310
	A	Α	205	200	200	200	210	200	240	250	260	290	280
)	170	180	190	C	C	С	C	С	С	C	/ C	C	280
)	190	200	E230A	A	A	A	210	210	260	230	220	280	E370B
)	220	Α	205	200	A	E230A	22')	240	210	210	200	E350A	В
	Α	180	210	A	A	Α	A	280	210	240	260	320	В
)	E22(.	Α	Α	180	180	200	210	230	220	200	220	280	В
)	A	220	Α	190	180	A	220	E230A	230	230	220	A	260
	A	170	200	170	170	170	220	240	220	::20	E280S	В	Α
	Α	A	200	200	Α	200	E25GA	240	С	2	C	С	C
	Α	Α	A	A	Α	Α	Α	280	240	210	A	В	В
	190	S	190	190	С	С	C	C	' c	230	230	230	270
	180	Α	Α	Α	200	220	200	220	90	С	С	С	С
)	190	190	200	190	190	200	220	240	220	225	260	280	290
	13	12	17	15	15	14	18	22	21	20	20	16	15
	210	200	205	200	200	220	230	250	235	240	270	310	340
	180	180	190	170	180	180	210	220	210	210	235	250	270
	30	20	15	30	20	40	20	30	25	30	45	60	70

illetin is questionable because of an error in frequency markers ginal frequency parameters have been increased by 1 Mc since the

Characteristic: foF1

IONOSPHERIC DATA

Sweep: 1 Mc to 25 Mc in

July 1964

Observed at:

Bangkok, Thailand Lat. 13.73°N, Long. 100.57°E 105°E Mean Time (GMT + 7 hours)

							agency white the city					
Hou	00	01	02	03	04	05	26	07	08	<u>0</u> 9	10	11
Date												
1	_		-	***	-		2	we.	204	_		-
2		-		_		-			_		_	_
3							_	_	-		_	
4	_	_			_	_	_		As.	ett e	-	_ 1
5	-		_		-	-	_	_	_	_	_	-
6	-	-	-	-	-	430	_	-	~-		_	-
7	_	***	_	-	_	860	_	L	L	Α	A	A
8	140	-	752	-	_	-	-	L	L	L	041*	042
9	-		-	-	-	~-	-	L	L	L	042	042
10	-	-		-44	_	-	-	A	L	Α	Α	A
11	-			-	-	-	~	L	L	042	043	044
12	-	41	_	r tame	_		-	L	L	L	042	A
13		-		-	-	-	-	L	A	A	A	042
14	**	-	-	-		~	••	L	L	042	042	043
15	-	-	ns.	an .	-		-	L	L.	L -	032	033
" 6	-		-	-	-	- '	-	A	Α	043	Α	A
17			-	-	-	-	С	С	С	L	043	043
18	-	~	~	-	-	-	C	С	С	C	С	С
19	-	-	-	-		-	С	C	С	С	C	C
20	-	-	-	-	-	-	С	С	C	L	A	A
21	-	-	-	-	-	-	C	С	L	L	054	054
22		-	-	-		-	С	С	С	L	041	043
23	-	-	-	~	-	-	••	L	L	045	045	044
24	-	-	-	-	-	-	-	A	A	A	A	A
25	-	-	-	-	-	-	-	A	L	L	033	035
26	-	-	-	-	144	-	-	A	Α	A	033	A
27	_	na na	-	ADA	-	-		A	L	L	A	A
28	-	-	-	-	-	-	***	L	L	032	A	Α
29	-	-	-	-	-	-	C	С	A	A	A	A
30	-	-	-	-	-	-	-	L	L	033	032	033
31	_	-						L	030	032	<u>A</u>	034
Median	~		-	_		_	_	_	-	042	042	04/3
Count	wist	-	W47	-	-	-	-	-	1	7	13	13
UQ	-	an	170	8.7	_	-	+-7	-	-	043	043	043
LQ	-	_	-		-	-	-	-	-	032	033	035
QR	-	-	-	-	-	-	-	-	-	11	10	8
1			1						1			

^{*} Tabulation of 041 = 4.1 Mc.

ATTENTION: The accuracy of the frequency parameters in this bulletin is qualified the C-2 sounder from 15 July to 21 September 1964. The original frequent error is estimated to have been approximately 1 Mc.

PHERIC DATA 25 Mc in 0.5 minute

y 1964

	11	12	13	14	15	16	17	18	19	20	21	22	23	
	-	-	-	-	-	web	-	-	-	-	-	-	-	
	460	-	-	-	~	-	***	-	NW.	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	
ı	-	-	icht.	-	-	-	-	***	-		-	**		
П	-	_	-	-	-	-	-	-	**	-	-	~	-	
П	A	A	A		A	L	- L	-	~	-	-	-	-	
F	042	B	B	A 043	043	C	A	_		_	_	_	-	
	042	A	043	041	L	L	L				_	_	_	
	A	A	A	A	L	L	L	_				-	-	
	044	044	044	043	041	A	A		_	_		_	_	ı
Н	A	A	A	A	A	A	L		_			_		ĺ
	042	044	044	Ā	042	L	L	_		_	_			
	043	043	043	043	C	C	C	-	_		_	_	_	l
	033	033	033	032	031	030	L	_	-	_	-	_		ı
	Α	A	043	043	041	L	L	_	_	_	440	_		Ĺ
	043	043	043	042	041	040	L	_	_	_	_	-		
	C	044	044	042	041	A	L		_	-	_	_		
	C	044	043	043	041	L	L	-	-			- 1		
	Α	Α	043	041	043	041	L	-	_		-	_	4	
	054	044	044	C	С	C	С	-	-		- 1	-		ı
	043	043	044	A	A	Α	L	-	-		-	-	-	
	044	A	043	041	A	041	L	-	_		-	-	-	
	Α	042	042	Α	A	A	Α	-	-	-	-		-	
	035	Α	A	041	041	I,	L		-	-	-	-	-	
	Α	044	Α	043	042	Α	L	-	-	-	-	-	-	ı
	Α	043	042	042	040	L	L	-	-	-	-	-	-	l
	A	Α	034	033	A	032	L	-	-	-	-	-	-	L
	A	A	A	A	A	A	A	-		-	-	-	-	l
	033	s	033	U032S	C	С	C	-	-	-	-	-	-	l
_	034	Α	_A	A	032	L	<u>L</u>	L	m.	231	-	-	-	
	042	044	043	042	041	040	_	_	_	_	_	-	_	L
l	13	12	17	16	13	5	-	-	-	-	-	-	-	l
П	043	044	044	043	042	041	-	-	-	-	-		-	
	035	043	042	037	041	031	-49	up.	-	441	_	-	-	
	8	1	2	6	1	10	-	-	-	-	_	-		
							1		1	1				1

alletin is questionable because of an error in frequency markers ginal frequency parameters have been increased by 1 Mc since the



Characteristic: M(3000)F'

IONOSPHERIC I

Sweep: 1 Mc to 25 Mc i

July 1964

Observed at:
Bangkok, Thailand
Lat. 13.73°N, Long. 100.57°E
105°E Mean Time (GMT + 7 hours)

					printer any single convenience.							
Hour	00	C1	02	03	0-1	05	06	07	08	09	10	1 !
Date												warms
1.		-	-		-	-	101	-	470			
2	-	-	+46.6	-	6434	**	44.	,	A			344
3	-	-	-	2h	27	MA.	-	48.	-	-	-	and .
4	-	3.05	-	-	-	-	-	B n	-	-	-	-
5	-	-	-	-		~	res	**	67	7"		
6	-	94.		**	-	~-	-	-	~			antin
7	-		-	-	-		-	L	L	A	A	Α
8	-		#*	-	-	-	-	L	L	L	3904	410
9	~	-	~	-	-	-	M.M.	L	L	L	400	410
10	-	-	-	-	-	-	-	Α	L	A	A	A
11	-	-	-	-	_	-	-	L	L	380	410	410
12	Mts.	NO NO	- 1	-	. 	-		L	L	Ŀ	400	A
13	-	-	~ N	-	· · · · · · · · · · · · · · · · · · ·	-	-	L 	A	A	A	420
14		-		~	-	-	-	L	L	390	400	410
15	41		-	-	-	-	-	L	L	L	420	415
16	~	-		-	-	-	-	A	A	365	A	A
17	-	-	-	-	-	4.0	С	С	С	L	410	400
18	-	-		-	-	~	С	С	С	C	С	Ġ
19	-	-	-	-	-	9	С	Ü	С	C	C	C
20	-	-	-		~		C	C	C	L	A	4
21	-	-	-	-	-	-	С	С	L	L	410	120
22	-	-	-		-	~	С	С	C	L	400	420
23	-	13	-	- 77	-	44	-	L	Į	390	400	395
24	-	-	-	-	~		280	A	A	A	A.	A
25	~	-	-	-	-	-	-	A	L	L	400	400
26	-	~	-	-	-	-	-	A	A	A	410	À
27	25-	~-	-	-	-	***	-	A	L	L	Α	A
28	- 1	-	-	- 1	~		-	I _i	L	420	Α	A
29	-	-	-	- "	-	-	С	С	A	A	A	A
30	-	-	-	-	-	**	~-	L	L	390	410	420
31		-		_			MANAGEMENT MANAGEMENT	L	380	390	A	420
Median	-	-	-	-	-	-	-	-	-	390	400	410
Count	-	-	-	-	-	on.	-	-	1	7	13	13
		_								200	410	420
UQ	-	_	_	_ 1		-	-	-	•	390 380	460	405
LQ	49	_	_	598	443 443	-	-	_	-		10	15
QR	4*			5/8		#43	-	-	-	10	10	12

Tabulation of 390 = factor of 3.9.

ATTENTION: The accuracy of the frequency parameters in this but of the C-2 anunder from 15 July to 21 September 1964. The originarror is estimated to have been approximately 1 Mc.

HERIC DATA 25 Mc in 0.5 minute

y 1964

ALANA	a ** The second second			وبالمتحالة التشكيلات ويصحبن								
11	12	13	14	15	16	17	18	19	20	21	≟2	23
-	-			-	-	-	-	-	-		-	-
	~	-		-	~	-	-	-	-	-	-	-
-	-	~	-	-	-	~	-	~-	-	-	-	-
-	-	-	-	-	_	-	-		-	3,546	-	tt
-	-	-	-	-	-	-	-	-	-	-	-	-
_	 a	-	-		7	-	-	-	-	-	-	-
A 410	A B	A B	A 420	A	L C	L A	_	.7	-	-	-	100
410	A	425	440	L L	L	L		_	_	_	_	
A	Д	426 A	440 A	L	L	L		_	_	-	_	-
410	410	419	420	400	A	A			_			í -
410 A	410 A	410 A	A A	400 A	A A	L						
120	43	415	A	400	L	L				_		
410	450	420	420	C C	c	C	_	_	_			_
415	20	430	430	420	400	L	_	_	_			
A	A	425	430	410	L	L			_	_	_	
400	430	430	420	400	370	L		_	_	-		_
C	410	420	-	-	A	L	_	-	_	_	_	
C	400	410	410	415	L	L	-	_	_	_	_	; I –
A	Δ	410	410	390	410	L	_	_	Í -	} _	en.	_
420	420	420	c	C	С	C		_	_	l -	_	-
420	426	410	A	A	A	L	_	_	_	-	271	_
395	A	420	425	Ā	375	L	_		-	_		-
A	430	410	Λ	Α	A	A	_	_		_	; -	-
400	A	Α	440	420	L	L	- 17	-	_	_	-	-
A	420	A	4.0	410	A	L	- 1		-	-	_	
A	420	430	440	430	L	L	- 1	-	-	-		! -
1	A	420	410	Α	400	L	-	_		-	-	1 -
A	A	Α	A	A	A	А	-	-	_	-	-	-
420	S	430	U420S	С	С	С	-	-	-			-
420	A	A	A	400	L	L	L	-	-	-	-	-
4.10	420	426	420	410	40C		-	_	_	-	_	_
15	12	17	15	11	5	_	_	-	_	_	-	
<u> </u>			l	l								
420	420	428	430	420	405	-	-	_	-	-		-
405	410	410	410	400	373	-	_	_	_	-	-	-
15	10	18	20	20	32	_	-	-	-	-	-	_
Control of the Part of the Par		THE RESERVE AND ADDRESS.	The second secon	The same of the sa	and the second		A				A	

this bulletin is quest onable because of an error in frequency markers. The original frequency parameters have been increased by I We since the

January.

Characteristic: fok

IONOSPHERIC DA

Sweep: 1 Mc to 25 Mc in

July 1961

Observed at:
Bangkok, Thailand
Lat. 13.75° N, Long. 100.57° E
105° E Mean Time (GMT + 7 hours)

Hour Date	00	01	02	03	04	05	06	ს 7	V8	09	10	11
1	-	-	-			-	-		-		-	-
2	-	6.0	-	-		-	-	-	-	-		-
3	-		-	-		-	-	-	-	-	7*	-200
4	-		-				_	-	-	_	-	-
5	-	.a.	-	-		en e	_	_	_	_	_	
6	_		_	_		16.1	_	А	A	A	Α	А
7		-	_	_	=	-	_	A	A	В	A	A
1 8 1 9	_	_	_	40	_	**		A	A	A	A	Α
10	-	_	_	_	-	_`	8.0	A	A	A	A	A
11	-	-	-	-		- \	-	A	Α	A	A	Α
12	-	-	-	-	-	-	-	Α	Α	A	Α	P.
15	-	-	-		-	-	, -	A	Α	Α	Α	A
14		-		941			· -	A	Α	Α	A	A
15	-	-	- 9		-	-	-	A	Α	A	Α	A
16	۳.	-	- //	-	-	-	***	A	Α	A	Α	A
17	-	-	~-	-	-	-	С	С	С	A	A	A
18	-	-	-	-	-	-	С	С	С	C	С	С
19	-	-	-	-	-	-	С	C	С	С	С	С
20	-	-	-	-	-	-	С	С	С	A	A	Α
21	-	-	-	-	-	-	C	С	A	A	A	A
22	-	-	-	-	U*	-	С	C	C	A	A	A
23	-	-	-	-	-	-	-	A	В	A	A	A
24	-	-	-	-	-	-	,,	A	Α	A	A	A
25	-	_	_	-	_	_	_	A A	A	A A	A. A	A A
26 27	_	-	_	_		_ _	_	A A	A A	A	Â	A
28	_	_	_		_		_	S	A	A	A	A
29	-	_	_	_	780	_	C	c	A	A	A	A
30	met	_	_		_	_		Ā	A	A	A	Α
31	-	-	_	-	-	-	_ [Δ	A	A	A	A
Median	-	-	-	-	_	-	_		<u> </u>	_	-	_
Count	_	-	-	~	-	_	-	_	-	-	_	- i
UQ	-	-	-	-	-	-		-	 - -	-	-	-
I.Q		-	-	-	-	1.0	-	-	-	-	_	
QR	-	-	-	-	l _ 1	-	-	-	-	-	-	-

ATTENTION: The accuracy of the frequency parameters in this bulletin is of the C-2 sounder from 13 July to 21 September 1964. The original frequency is estimated to have been approximately 1 Mc.

PHERIC DATA 25 Mc in 0.5 minute ly 1964

								A PROPERTY OF THE PARTY OF THE				The second second	THE PROPERTY OF THE PARTY OF TH
	11	12	13	14	15	16	17	18	19	20	21	22	23
	-		4.4	-	-	-	-		stin		. •	-	-
	-		-	-	-	-	-	-	-	nx	-	-	~
П	-	-	-		-	-	-		***		-	-	CORE.
	_	_		_	-	-	-		-	-	-	- -	-
	_	_	_	_	_	_	_	_	-	-	_	_	_
	Α	А	Ā	A	A	Α	A	_	_	-	.46	_	_
	Α	В	В	A	A	c	A	-	-	-	-	_	_
	A	A	S	A	A	A	Α	_	-	-	-	-	_
	A	A	A	A.	Α	A	Α		-	-	-	_	-
	Α	Α	Α	A	Α	A	A	-	-	-	-	-	-
	A	A	Α	Â	Α	A	A	-	-	-	-	-	-
	Α	A	A	A	Α	A	A	-	-	-	-	-	-
	A	A	A	A	С	С	С	47	-	~	-	-	-
	A	A	A	A	Α	A	S	-	-	-	-	-	-
	A	Ą	Α	A	A	S	A	-	-	-	-	-	-
l	Α	Α	A	A	A	A	A	-	-	-	-	-	-
	C	A	Α	Α	A	A	Α	-	-	-	-	-	-
	C	A	A	A	A	A	A	-	-	-	-	-	-
	A A	A A	В А.	A C	A C	A C	A C	_	-	-	-	_	_
	A	A	A A	A	A	A	A		_ \			[
	A	A	Ā	A	A	A	A		_	_	i _	-	-
	A	A	A	A	A	A	A		_		_	_	-
	A	A	A	A	A	A	A	_	_	_	_	_	_
ı	A	A	A	A	A	A	A	-	-	-	-	-	_
	Α	В	В	R	В	В	Α	l -		-	_	-	~
	A	Α	Λ	Α	A	A	Α	-	_	-	-	-	7-0
	A	A	A	A	A	A	A	-	-	-	-	-	-
	A	S	R	R	С	С	С	-	-	-	-	-	-
	A	A	Α	Α	В	A	A	Α	- (ii -	-	-
	_	_	-	-		-	_	_	_	-	_		-
	-	-	-	-	-		-	-	-	-	-	-	-
7.5	-	-		-	-	-	-	-	-	-	-		-
	-	-	-	-	-	-		-	-	-	-	-	-
		-	_	-	-	-	1	-	-	-	-	_	_

illetin is questionable because of an error in frequency markers small frequency parameters have been increased by 1 Mc since the



Characteristic: h'E

IONOSPHERIC DATA

July 1964

Sweep: 1 Mc to 25 Mc in C

Observed at:

Bangkok, Thailand Lat. 13.73°N, Long. 100.57°E 105°E Mean Time (GMT + 7 hours)

											•			
	Hour Date	00	01	02	03	04	05	06	07	08	09	10	11	
Γ	1		-	-	-	-	-	-	-	-	-	-	-	
١	2	-	_	-		-	-	-	-	-	-		- 44	
1	3			-	-	-	-	-	-		-		-	
1	4	-	847	-	-	-	-	-			-	-		
1	5	-	-	-	-		-	-	-	-	-	-	-	
1	Ģ	-	-	-	-	-	-	-	-		-	₩.	-	
1	7	-	-		-		-	-	Α	A	A	A	A	
-	8	-	-	-		-	446	~	A	A	В	A	A	
١	9	-	-	-	-		-	-	A	A	A	Α	Α	
- 1	10	-	-	-	-	-	-	-	A	A	Α	A	Α	
١	11	-	-	-	-	-	der	-	Α	Α	Α	Α	A	
	12	-	-	-	-	-	-	-	A	A	A	A	Α	
	13	-	-	-	-	_	-	-	A	A	A	A	A	
	14	~	-	-	-	-	-	-	A	A	A	A	A	
- 1	15	-		,	-	-	-	-	A	A	110	A	A	
١	16	-	~	-	-	-		-	A	A C	A	A	A	
ı	17 18	-		-	-	-	-	C	C C	C	A C	A C	A C	
-	19	_	19	CW CW			_	C	c	C	C	C	C	
	20			-			_	c	C	C	A	A	A	
- [21		_	_		-	_	c	C	A	A	A	A	
-	22	_	_	- 8		_	AS.	c	C	c	A	110	110	
1	23	_	_	= "		_	-	_	A	В	A	A	A	
1	24	_	-	_	_	_	_	_	Α	A	A	A	A	
-	25	-	-		-	_	-	_	A	Α	A	A	A	
	26		~	_	_	_	-	-	**	A	A	A	Α	
1	27	-	-	-	_	as	-	-		A	A	A	A	
1	28	-	-	_	-	-		9.00	S	Α	110	A	А	
ļ	29	-	-	-	-	-	-	C	С	A	Α	A	A	
	30	-	-	-	-	-	-		A	A	Α	A	A	
	31	-		-	-	-	-	-	110	A	A	Α	A	
ſ	Median	_		_		_	ом	=-	_	_	_	_	_	
	Count	-	-	-	_	-	-		1	-	2	1	1	
Ì	UQ	-		-	-	-	-de	-	-	-	_	-	-	
	I.Q	и.	-		_	-	-	-	-	-	-	-	-	
	QR	_	_	-		-	-	-	-	-	-	-	-	

^{*} Tabulation of 110 = 110 km,

ATHENTION: The accuracy of the frequency parameters in this bulletin is quot the C-2 sounder from 15 July to 21 September 1964. The original frequenerror is estimated to have been approximately 1 Mc.

						A STREET, SQUARE, SQUA	AND DESCRIPTION OF THE PARTY.		100	THE PERSON NAMED IN COLUMN TWO	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	THE RESERVE AND ADDRESS OF	The same of the sa
	1.1	12	13	14	15	16	17	18	19	20	21	22	23
	-		_	-	-	-	-	-	-	-	-		-
ı		-	-	-	-	-	-	-	-	-	-		
۱	-	-	-	949	-		-	-		-	-	-	-
١		-	-	-	_	-	-	-	-	_	-	-	Ī
	-	_	-	_	-		_	_				-	
ı	- А	A	A	A	A	A	A	_		**	-	-	
ı	A	В	В	A	A	C	A		-	-	-	-	-
	A	A	S	A	A	A	A		-	auri	_	-	
	A	A	Ā	A	Δ	A	Α	-			-	-	-
	Α	Α	Α	Α	А	Λ	Α	-		-	PES .	~	-
1	Α	A	A	A	Α	A	Α	A42	-	-	-	-	
ı	Α	A	Α	Α	Α	110*	Α	-	-→		-	-	-
	A	A	Α	Α	С	C	C	-	-	-		-	-
	A	Α	A	Α	A	110	S	-			-	aby	-
	Α	A	Α	Α	A	110	A	-	- 1	- 1	-	-	-
ı	A	Α,	A	Α	A.	A	A		-	-		-	-
	C	Α,	Α	Α	Α	A	Α	-	-	-	-	-	-
	C	A	A	110	110	110	A	***	-		-	-	-
	A	A	В	A	A	A C	A	-	-	-	_	_	-
	Α	110	110	C 110	C 100	110	C A	_	-	-		-	-
	110	110	A	110 A	3	A	A A	-	_	_			
	A A	A A	A A	A	A A	A	A	_	_	_		-	_
	A	A	A	A	A	115	A		_	_	-	_	_
	A	A	A	Â	A	A	A	_	-		_	5-	-
	A	В	В	110	В	В	A	_	-	_	-	-	-
	A	A	A	Α	Å	A	Α	-	-	-	-	-	-
1	A	A	Α	A	A	A	A	-		-	-	-	439
	A	S	110	110	С	С	С	-	-	-	-	-	-
	A	Á	A	A	В	A	110	110		-	140	-	-
	_	_	-	_	_	_	_	_	-	-	-	_	-
	1.	3	2	4	2	6	1	1	-	-	-	-	-
	200	-	-	-	-	-	MCDMCLASTIC POT SHARE PROPERTY AND	-	-	-	-		-
	w.FF	-	-	-	-	-	-	-	-	-	-	-	-
	tor.	-	-	-	-	-	-	-	-	-		_	-

bulletin is questionable because of an error in frequency markers iginal frequency parameters have been increased by I Mc since the

Characteristic: fbEs

IONOSPHERIC DA

Sweep: 1 Mc to 25 Mc in

July 1964

Observed at:
Bangkok, Thailand
Lat. 13.73° N, Long. 100.57° E
105° E Mean Time (GMT + 7 hours)

Hour Date	υÜ	01	G2	03	04	05	06	07	08	09	10	11
1	-	-	-	-	-	-	-	-	-		-	-
2	-		-	**	-	10	-	-	41	-	-	
3	-	,-	-	-	-	-	-		***	-	**	-
4		4	-			-	444	-	} -	M.**	-	_
5	-	-,	-		-	-	-	-	(-	-	-	-
6	-	-		-	-	-	-	-	-	ant.		-
7	-	S	В	S	В	-	016	025	026	036	040	050
8	023	В	В	В	A**	-	024	031M	037M	В	037	038
9	В	В	-	-	WCF	-	021	027	035	038	037	037
10	***	-	022	7	-	-	026	040	036	043	060	050
11	026	021	-	В	017	-	019	025	031	031	034 03 6	036
12	В	-	В	В	-	-	025	030	030	035		I
13	В	В	В	В		-		031	035	035	040 040	034 038
14	-	-	013	-	011	-	020	025	030	036	1	038
15	В	В	3	В	В	В	В	020	023	025	027	- 024
16	-	- 11	В	В	-	-	-	029	-	037 032	034	040
17	С	С	C	C	C	C	C	C	C	032 C		C
18	C	C	C	С	C	С	С	C	C	c	C	c
19	C	C	C M	C	C	C	C C	C	C	U045C	_	055
20	В	M B	M B	-	C C	c	C	c	033	035	036	036
21	B B	B	B	c C	c	C	c	c	033	036	037	038
22	В	В	В	-	-	В	В	030	В	036	040	040
23	- 13	Б -	-	_		М	026	050	045	045	044	044
2-1	-	В	В	В	В		027	030	936	040	039	042
25 26	В	c	c	C	_	_	-	045	U0420	050	040	044
27	В	В	В	Б	Р	В	В	U042C	U036C	037	046	-
28	_		С	В	0	С	С	S	034	037	-	_
29	С	С	С	С	С	С	С	С	-	***	039	-
30	В	В	В	В	В	В	029	030	032	-	037	038
31	В	В	В	-	-	-	В	029	035	036	044	037
Median	-	-	-	-	-	-	025	030	035	036	039	038
Count	2	1	2	-	2	-	10	17	17	20	21	18
UQ	-	-	-	-		-	026	035	036	039	042	044
TQ	-	-	-	-	-	~	020	026	030	035	037	037
QR	-	_	-		_	_	6	9	6	4	5	7

[#] Tapulation of 018 = 1.8 Mc.

ATRINITION: The accuracy of the frequency parameters in this bulletin of the C-2 sounder from 15 July to 21 September 1964. The original ferror is estimated to have been approximately 1 M_{\odot} .

HERIC DATA

25 Mc in 0.5 minute

y 1964

						-						
11	12	13	14	15	16	17	18	19	20	21	22	23
	-		An.	-	-		-	-	-	-		
-	-	-	-	-	-	-	-	~	ion	-		ud.
-	- 1	-	-	-	-		-	-		-	gav	-
-	-	-	-		-		-	-	-	-	-	-
-	-	-	-	ina.	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-		018*	S
050	049	065	050	046	034	027	026M	025M	022M	034	032M	032
038	В	В	036	042	С	039	029M	035	020	S	021	018
037	045	S	036M	034	031	027	045	05 OM	M	040	027	023
050	-	058	058	054	033	049	025	030	034	UO30S	-	022
036	040	039	034	036	046	041	038	025	026	025M	026	В
-	048	045	053	065	052	028	034	035	026	030	S	В
034	036	035	052	033	031	040	038	028	-	027	-	М
038	040	039	.00	C	C	C	C	8	В	В	В	В
024	021	029M	027	024	023	s	S	S	-	017M	В	-
-	-	035	037	032	В	-	-	-		В	В	С
040	039	041	035	034	131M	032	026	030	S	S	C	C
С	038	044	042	040	043	033	030	C	С	C	С	С
С	037	035	035	035	933	033M	026M	027M	М		S	S
055	045M	В	035	036	033	-	-	-	-	В	В	В
036	038	037	C	С	С	С	C	С	C	С	С	-
038	039	040	050	045	-	-	-	035	_	S	-	В
040	044	039	638	040	037	032	U028S	В	B	В	027	В
044	036	039	-	040	041	U046S	U075S	1040S	038	В	В	В
042		-	ა36	036	033	032	-	S	S	S	S	В
044	042	-	038	037	041	035	029	В	S	В	-	В
-	В	В	В	В	В	032	029	В	027	S	В	-
-	-	040	940	051	038	038	031	С	C	C	C	С
-	M	05 OM	044	051	042	049	050	040	030	-	В	В
038	袋	В	В	С	С	C	С	С	В	В	В	В
037	- 1	-	R7	В	-	030	027	В	c	С	С	C
038	040	039	038	039	034	033	029	033	026	030	027	023
18	16	17	19	20	17	18	17	12	8	7	6.	4
044	045	045	050	046	042	040	038	037	032	034	027	027
037	038	036	035	035	032	032	026	028	024	025	021	020
7	7	9	15	11	10	8	12	9	8	9	6	4
1					1	1	i i	1	1	i	3	1

bulletin is questionable because of an error in frequency markers riginal frequency parameters have been increased by 1 Mc since the



Characteristic: fofs

IONOSPHERIC D

Sweep: 1 Mc to 25 Mc i

July 1984

Observed at:

Bangkok, Thailand Lat. 13.73°N, Long. 100.57°E 105°E Mean Time (GMT + 7 hours)

						-						
Hour	00	01	02	03	04	05	06	07	08	09	10	11
Date		1	1	-								AND THE PARTY OF T
	_	1		_	***		_	-	_	ao	-	_
1 2	_			_	_		_	_	_		ignar.	-
3			_		æ	_	_	-	40.	-	-	
4	_	_	_	_	_	_	_	-		-	-	
5		_		_	_	_	_	-	-	-	-	494
6	_	_	_	_	_	-	-	-	-	-	-	_
7	022	s	В	s	В	017	022	036	036	045	050	095
8	031	В	В	9	029	037	046	060%	07 OM	В	030	033
9	В	В	037	031	029	040	049	080	045	047	040	039
10	026	026	024	030	040	048	046	080	057	104	102	085
11	051	052	033	В	028	075	040	051	035	∂52	940	041
12	В	027	В	B	107	070	042	043	048	090	060	105
13	₿	В	В	В	025	025	036	040	035	035	050	034
14	040	0 3 5	024	021	020	030	042	036	044	045	04.)	040
15	В	В	8	В	B	В	В	030	033	038	037	037
16	032	030	8	В	027	026	045	065	074	045	092	075
17	С	С	С	C	С	С	C	C	۲	042	038	065
18	C	С	C	C	С	C	C	С	C	С	С	С
1.9	С	C_	C	C	C	С	С	С	Ç	С	С	С
20	В	030M	05 OM	C	С	С	C	C	C	U05 OC	070	069
21	В	В	В	030	С	С	С	С	047	045	040	045
22	Б	В	В	С	С	С	С	C	С	075	038	0.17
23	В	В	В	046	052	В	В	037	В	050	0 55	674
24	040	035	035	040	055	075M	045	056	060	055	054	065
25	037	В	B	В	В	062	045	095	050	063	044	090
26	В	B050C	U056C	U040C	050	070	083	095	U080C	091	087	065
27	В	В	В	В	В	В	В	U0500	U045C	039	060	087
28	026	030	U028C	В	С	C	C	\$	042	057	056	092
29	С	C	C	С	С	С	C	C	072	060	039	056 038
30	B	В	B	В	3	В	043	042	033	048	037	
31	B	В	<u> </u>	049	027	032	В	046	040	036	047	047
Median	032	030	034	035	029	040	045	050	045	049	047	065
Count	9	9	8	8	12	13	13	17	19	22	23	23
UQ	040	042	043	040	051	070	046	085	060	060	060	074
LQ	026	029	026	030	027	028	041	039	036	045	039	040
QR	14	13	17	10	24	42	5	46	24	15	21	34
L	<u> </u>		L	1	4		J.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					·

^{*} Tabulation of 018 = 1.8 Mc.

ATTENTION: The accuracy of the frequency parameters in this bulletin of the C-2 sounder from 15 July to 21 September 1964. The original fuerror is estimated to have been approximately 1 Mc.

HERIC DATA

25 Mc in 0.5 minute

y 1964

11											-	The second second second	-	
		11	12	13	1.4	15	16	17	18	19	20	21	22	23
The color of the	T	-	-	-	ber	-	-		-	-	-	-	-	-
	1	-		-	-	-	-		-	9.0	-	-	-	-
T	1	-	-	-	ou			-	-	-		ian .	-	-
095		-	-	-	-	-		-		400	-		-	-
095	1	-	-	-	-	-	-		-	-	, en			
033	ı	-	-	-	-	-	-			-	. **			
039	۱	095	080	086		046						*		
OSS	I	033	В		036									
041 043 050 037 078 061 095 065 045 033 036M 035 B 105 090 095 113 110 088 050 057 047 050 040 S B 034 037 042 095 046 035 056 056 047 035 036 020 045M 040 050 044 044 C C C C S B C C C </td <td>1</td> <td>039</td> <td>045</td> <td>S</td> <td>041M</td> <td>040</td> <td>031</td> <td>057</td> <td>055</td> <td></td> <td></td> <td></td> <td></td> <td></td>	1	039	045	S	041M	040	031	057	055					
105	1	085	100	095	100	097	045							
034	1	041	043	050	037	078	061		065		•	1		
040	۱	105	090	095	113	110	988	050	057			2	1	
037 031 041h 037 034 035 S S S 033 037h B 055 075 046 036 037 032 B - 036 031 030 B B C 035 046 080 035 037 033M 055 045 036 S S C	-	034	037	042	095	046	035					1		
075 046 036 037 032 B - 036 031 030 B B C 035 046 080 035 037 033M 055 045 036 S S C	1	040	050	044	044	C	С	C	C			1	1	
035 046 080 035 037 033M 055 045 036 S S C C C C 038 057 086 075 070 046 038 C		037	031	041M	037	034	035	S	S			1		
C 038 057 086 075 070 046 038 C		075	046	036	037	032	В		036	031	030			1
C 037 037 036 036 033 040M 033M 034M 035M 035 S S S 069 060M B 040 039 038 036 035 030 029 B B B B B O45 039 044 C C C C C C C C C C C C C C C C C C		035	046	080	035	037	033M	055	045	036	S	S		
069 060M B 040 039 038 036 035 030 029 B	١	C	038	057	086	075	076	046	038	С	C	2	1	2
045 039 044 C </td <td>1</td> <td>C.</td> <td>037</td> <td>037</td> <td>036</td> <td>036</td> <td>033</td> <td>04 OM</td> <td>033M</td> <td>0341</td> <td>035M</td> <td>035</td> <td>S</td> <td>1</td>	1	C.	037	037	036	036	033	04 OM	033M	0341	035M	035	S	1
047 055 044 061 100 220 050 035 090 2C41 S 043 B 074 075 039 047 040 047 035 U040S B	1	069	06 OM	В	040	039	038	036	035	030	029	1		
047 055 044 061 100 220 050 035 090 2C41 S 045 B 074 075 039 047 040 047 035 U040S B O75 O61 082 047 O33 B S B B O75 B B B B B B O70 O40 D40 D44 C C C C C <td>1</td> <td>045</td> <td>039</td> <td>044</td> <td>С</td> <td>С</td> <td>C</td> <td>C</td> <td>C</td> <td>С</td> <td>С</td> <td>С</td> <td>С</td> <td>1</td>	1	045	039	044	С	С	C	C	C	С	С	С	С	1
065 042 045 100 080 086 U085S U112S U085S 034 B<	-	047	055	044	061	100	220	050	035	090	2C41	S		1
096 075 085 080 070 037 045 039 S S S S B 065 047 125 075 061 082 047 033 B S B B O75 B 037 B B B B B B O70 040 B O31 S B B O36 O36 O31 S B O36 O36 O37 O49 O44 C </td <td></td> <td>074</td> <td>075</td> <td>039</td> <td>047</td> <td>040</td> <td>047</td> <td></td> <td></td> <td>В</td> <td>В</td> <td>В</td> <td>1</td> <td></td>		074	075	039	047	040	047			В	В	В	1	
065 047 125 075 061 082 047 033 B S B O75 B 037 B B B B B B B O33 B S B O36 O36 O37 O40	4	065	042	045	100	080	086	U085S		U085S	034	8	1	9
037 B B B B B B B B 070 040 B 031 S B 036 092 072 047 045 067 049 049 044 C<	1	090	075	085	080	070	037	045	039	S	S	S	S	1
037 B B B B B B B B O70 040 B 031 S B 036 092 072 047 045 067 049 049 044 C B<		065	047	125	075	061	082	047	033	В	5	2	8	1
092 072 047 C45 067 049 049 044 C B C C C C C				В	В	В	В	070	040	В		1		
038 S B B C			072	047	045	067	049	049	044	C	C	1	¥	
047 070 090 055 B 042 030 027 B C C C C 065 049 049 050 053 045 050 040 046 034 037 036 034 25 22 20 22 20 19 20 21 14 15 9 10 8 074 075 087 080 076 082 061 056 065 041 043 052 044 040 042 043 037 040 035 046 035 036 031 036 021 027	-	056	085M	087M	052	070	082	060	067	047	031		1	2
047 070 090 055 B 042 030 027 B C C C C 065 049 049 050 053 045 050 040 046 034 037 036 034 25 22 20 22 20 19 20 21 14 15 9 10 8 074 075 087 080 076 082 061 056 065 041 043 052 044 040 042 043 037 040 035 046 035 036 031 036 021 027		038	S	В	В	C	С	C	C	C	,	1	1	
065 049 049 050 053 045 050 040 048 034 037 036 034 25 22 20 22 20 19 20 21 14 15 9 10 8 074 075 087 080 076 082 061 056 065 041 043 052 044 040 042 043 037 040 035 046 035 036 031 036 021 027		i	070	090	055	В	042	030	027	В	C	C	C	C
25 22 20 22 20 19 20 21 14 15 9 10 8 074 075 087 080 076 082 061 056 065 041 043 052 044 040 042 043 037 040 035 046 035 036 031 036 021 027	T	066	040	DAG	050	053	045	050	040	046	034	037	036	034
074 075 087 080 076 082 061 056 065 041 043 052 044 040 042 043 037 040 035 046 035 036 031 036 021 027	and and and				i	1	1	•	1	1	1	•	1	1
040 042 043 037 040 035 046 035 036 031 036 021 027	4	CONTRACTOR OF THE PARTY										042	OE 2	634
040 042 043 001 040 050 040			1		8	1	I .	1					1	
34 33 44 43 36 47 15 21 9 10 7 31 17			1	1	\$	1	1	2				1	B	
	and the same	34	33	44	43	36	47	15	21	9	10		31	11

bulletin is questionable because of an error in frequency markers ignal frequency parameters have been increased by 1 Mc since the



Characteristic: h'Es

IONOSPHERIC DATA

Sweep: 1 Mc to 25 Mc in

July 1964

Observed at:

Bangkok, Thailand Lat. 13.73°N, Long. 100.57°E 105°E Mean Time (GMT + 7 hours)

Hour Date	00	01	02	03	04	05	06	07	08	09	10	11
1		tion	-	-	-	-	-	-	-		-	-
2		-	~	-	-	-	-	-	-		-	-
3	-	~	a,a	Acs	-	-	•	-	-		-	-
4	-	-	962	-	-	-	c-	-	-	~	-	***
5	-	-	-	-	-		-	-	san	-	6.77	-
6	-	-	-	-	ca .	-	-		-	-	-	-
7	140	S	В	S	В	120	110	105	110	100	100	100
8	090	В	В	В	100	1.05	105	110	100	В	110	110
9	В	В	112	110	110	105	105	105	105	105	130	130
10	090	090	090	090	090	100	102	100	1.00	100	100	100
11.	120	120	120	В	090	100	100	100	100	100	100	100
12	В	100	В	В	100	100	102	105	105	100	100	100
13	В	В	В	В	110	100	100	120	105	105	100	100
14	110	110	118	110	110	102	105	1.05	100	100	100	100
15	В	В	B	В	В	В	В	130	130	130	130	095
16	100	110	B	В	120	120	100	100	100	100	100	100
1.7	C	С	C	С	С	C	C	С	C	105	100	100
1.8	C	C	C	C	С	C	C	C	С	С	С	С
19	C	C	С	С	C	C	C	C	C	C	C	С
20	В	110	110	С	C	С	С	С	С	120	120	110
21	В	В	В	115	С	C	C	C	100	100	105	110
22	В	В	В	C	C	c	c	C	C	110	130	110
23	В	В	В	100	100	В	В	100	В	100	100	100
24	116	110	110	110	110	105	105	112	120	110	110	110
25	120	В	B	В	В	105	110	100	110	100	100	100
26	В	120	110	110	110	105	102	100	100	100	100	100
27	В	B	В	В	В	В	В	100	105	100	100	100
28	110	110	110	В	c	C	U C	S	120	110	100	100
29	C	C	C	C	C	C	C	C	110	110	120	110
30	B B	B	B B	B 100	B 110	B	110 B	110	110	118 100	110 100	100 100
31.	D	D	13	100	110	110		110	110	1.00	100	100
Median	110	110	110	110	119	105	105	105	105	100	100	100
Count	9	9	8	8	12	13	13	17	19	22	23	23
ຽວ	120	115	115	110	110	107	107	110	110	110	110	110
L.Q	95	105	110	100	100	100	101	100	100	100	100	100
QR	25	10	5	10	10	7	6	10	10	10	10	10

^{*} Tabulation of 180 = 180 km.

ATTENTION: The accuracy of the frequency parameters in this bulletin is quoof the C-2 sounder from 15 July to 21 September 1964. The original frequenerror is estimated to have been approximately 1 Mc.

ERIC DATA
5 Mc in 0.5 minute

1964

11	12	13	14	15	16	17	18	19	20	21	22	23
	WF.	~	-	1990	-	Last	e)	-	-	-	-	-
₩.	-	-			MILL.	-	-	-	77		-	-
-	-		-		-	-	***				-	-
-	-			~-	-	-	-	-	-	-	-	-
	-	-		-	-		-	-				-
663		-	-		-	-	-	-		=-	180 [#]	S
100	100	100	100	1.00	140	100	090	090	090	120	090	090
110	В	В	110	100	С	100	100	090	090	S	090	090
130	120	S	100	100	100	095	090	090	090	090	090	090
100	100	100	100	100	090	090	090	090	090	140	130	090
100	100	100	100	100	090	090	U90	090	090	090	100	В
100	100	100	100	100	095	095	090	090	090	090	S	В
100	1.00	100	100	100	140	110	110	105	120	120	120	100
100	100	100	100	С	С	C	C	S	В	В	В	Б
095	090	110	110	100	110	S	S	S	095	120	В	100
100	110	118	105	120	В	160	110	110	1 05	В	В	C
100	100	100	100	100	100	090	090	090	S	ន	С	C
C	100	100	100	100	100	100	115	С	C	C	С	C
C	100	105	170	130	120	110	105	100	100	110	S	S
110	120	В	110	100	100	100	100	100	100	В	В	В
110	110	110	C	C	С	С	С	Ç	C	С	C	090
110	110	110	110	1.05	100	110	105	100	100	S	110	В
100	100	100	100	095	770	110	105	В	В	В	120	В
110	110	100	100	700	100	100	090	100	090	В	В	В
100	100	100	100	100	160	090	090	S	S	S	S	В
100	110	100	100	100	100	110	095	В	S	В	100	В
100	В	В	В	B	В	090	090	В	090	ន	В	110
100	100	100	100	100	100	110	110	C	C	С	С	C
110	110	110	110	090	100	090	090	090	090	130	В	В
100	S	В	В	С	С	C	C	C	B	В	В	B
100	100	100	100	В	090	130	130	В	С	С	С	С
100	100	100	100	100	100	100	95	90	90	120	105	090
23	22	20	22	26	19	21	21	14	15	9	1.0	8
110	110	107	107	100	110	110	105	100	100	125	120	100
100	100	100	100	100	100	90	90	90	90	90	90	90
1.0	1.0	7	7	nate.	10	20	15	10	10	35	30	10

letin is questionable because of an error in frequency markers hal frequency parameters have been increased by 1 %c since the

Characteristic: Type of Es

IONOSPHERIC D

Sweep; 1 Mc to 25 Me i

July 1964

Observed at:
Bangkok, Thailand
Lat. 13.73°N, Long. 100.57°E
105°E Mean Time (GMT + 7 hours)


liour Date	00	01	02	03	04	05	06	07	08	09	10	11
1	-	-	-	-	-				-	-	-	-
2	-	-	-				-	_	-			-
3	-	-	-		-	4.00	-	#29	-	-		-
4	138	-	-		-	-	-	***	-	-		wn
5	-	-		-	-	7300	-	-		~	-	-
6	~		-	-			-		P	1	±	<i>8</i> 2
7	. j.	-	-		 -	f f2	f f2	£	₽ 22	<i>‡</i>	L L	e.
8	13	-		- £	f	f2	f	£2	#.Z	£	h h	h
10	- f	- f	f f	I. P	ľ	f3	f	3 4	2 2	<i>l</i> 2	£2	2
11	f2	f	f	_	f2	f2	í	2	£h	ę.	4	â.
12	1	f	-	**	f6	î4	f2	£	£		Ê	22
13			_	_	f	f	f	£	č	С	€h	Ē
14	f	f	î	<u> 47</u>	f	Í	£	ą.	€	7	£	ĝ.
15	_	-	-	-	-	1,4	m	h	h	h	h	:1 \$-
16	Ĩ	ı	-		f	Í	f2	3	8	£h	#.3	le
17	-	-	- 1		~		-	-	- '	0	£	L
18	-		-	-	6 1	-	// -	-	-	-	-	-
19	***	-		U -	A/M	- 1	-		-	-	-	700
20	-	£	£3		-	-	-	-	4.	Æ	L	l
21	444	eaz :		f	-	-		-	a ^	L	4	Ŀ
22	-	-	-		-	-	-	- 1	-	£	h	C
23	-	-	-	₹2	f2	-	-	l l	-	L	2	£
24	f	f	12	f2	f4	£5	f	£3	12	h2 8	h £	h £ £2
25	f		-			f2	f2 f4	l.	ℓ ℓ2	l L3	L L	£2 £2
26 27	-	£	f2	f3	14 	f7 -	í	l l4	lc lc	£3 L	£3	£2
28	f	ť	f	_	_	_	_	1.44	£	£.	g g	£2
29	1	_		_	_	-	_	_	£4	12	l :	k.
29 30	_	_		_	_	_	f	£.	C	l	£	Ė
31	-	_		12	£	f2		LT:	£.	e e	£	ij.
Median	-	_	_		_	_	_	-48		_	-	
Count	-	-	-	-	-	_	-	-	-	-	-	-
UQ		-	VIII	†	-	T -			-	- Company of the Comp	199	-
LQ	-	-		-	-	-	_	-		-	-	1-0
QR	4.7	-	-	-	-	2,40		-	-	_	-	~*

ATTENTION. The accuracy of the frequency parameters in this bulletin is of the C-2 sounder from 15 July to 21 September 1964. The original frequency is estimated to have been approximately 1 Mc.

HERIC DATA 25 Mc in 0.5 minute

у 1964

									The state of the s					
- manufacture de la company de	ΤŢ	12	13	1-4	15	16	17	18	19	20	21	22	23	
+	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	44	_	-		-	-	-	-	eur	-	-	
	- 1	-	436	-	-	-	***	-	ukc	-	-	-	2100	-
			-		304	ALI		-	-	-	-		-	
	-		-	-	-	-	Birr	-	-	-	-	6	-	
	- 1	=1	-		-	-	-	-	12	-	**	-		
	-	17	-	-	-	-	-	-	-	-	-	f	_	
	82	.:2	12		£	h	βh	f	f	f	f	f	f2	
	8		-	Ĺ	hℓ	-	;2	f2	£5	£		f	f	
i	h	h		£	î		Ĺ	fS	£7	18	f6	f	13	U
i	2	₹3	₽ 2	12	∂2	₹2	£3	£.	f	f3	f	f2	f	Н
	.7	1	Ê	,7	# 2	l	£4	f3	f	f4	f	f	-	1
	₹2	₹2	12	₹3	<i>£</i> 2	£3	13	14	f2	f	f	-	-	
	ž.	,	7	₹2	£	h	<i></i> <u>∤</u> 2	f5	f4	t3	ť	f	1	
	į.	2	,	₽.		-	-	-	-	-	f	-	f3	
	î	Ê	ĝ.	£	а	₽.	-	-		f f	1	_	-	
ошен	ĒC	С	Ŀ	Ė	C	-	h	f f	f	_	_	l -		l
1	Ê	£	Ē.	Į.	Į.	£	£3	f3	_	_	_			
	-	ℓh	i	g2	£	∂2	c2	f	f	f	f	_	_	1
. 1	-	- C	Ê	li 1	h	h £	2	f	f	f	_		_	
	j ²	h	71	i		-	-	1		1 -	_		f	1
ĺ	į,	С	7	2	£3	£6	£	f	f2	f	_	f	1	-
	e L	e £2	C E		c.l	c	c	f	-	_	-	f	~	
	h í	2-G	G &	£5	£3	₹3	//3	f4	f2	f2		-	-	
	£2	23	/ £3	£	l.	7	£2	f2	-	-	-	_		l
	£2	10	26	2	Ž.	£2	£.	f2	_	-	-	1 (2	-	1
	£2	-	-		-	-	£3	£		f2	-	Ì -	f2	1
	ž2	Į.		e	£	£	52	ſ	-	-	-	-	-	-
1	î.	c2	c2	c3	c l	£	14	£5	f3	s°	f		-	
	ı.	_	-	-	-	_	-		-	_	-	-	-	
	- 2	- 3	1 2	Î		g	h	<u>h</u>		-	<u> </u>		-	4
100, 47	uit	-		i =	_	_	-	_	-	-	-	-	-	ĺ
	are-	-	-	-		-	-	-	-	-	-	-	-	
	-		-	-	 	-	-	-	-	-	-	-	-	1
	-	-	-	-	-	-	-	***	-	-	-	-	-	
	-	-	-		-	-	-	-	-		-	-	-	
				-	-	-			4					



MEDIAN VALUES JULY 1964

- 1			-		-																	Manage		-	-	ann-mag	
Agent to de la constitució de		(km)	110	110	110	017	110	105	105	105	105	100	100	100	100	100	1.00	100	100	100	95	06	90	120	105	00	
	1864 57 1864	(Me)	3.2	3.0	(A)	ය ව	0. 0.	4.0	লা টে	0,0	4.5	4.9	4.7	6.5	9.9	ক: ক	5.0	5,3	4.5	5.0	4.0	4,6	æ. 4.	33.7	3,6	3.4	
harappedemid for an embodopolis embryone	Comments.	(%)	1	1	3	ı	ł	1	24 10	3.0	ය ස	3.6	හ ලා	3.8	4.0	9.0	80	g.8	3,4	ن ن ن	2.9	ස ස	2.6	3.0	2.7	2.3	
	泰国。上	(km.)		i	1	1	ı	!	ı	ŀ	1	ı	1	1	1	i	1	1	ı	\$	1	1	1	ı	1	ı	
	33	(Mc)	450	1	!	1	ì	1	ı	1	ı	į	ı	1	1	3	1	t	1	1	i	i	1	1	ı	1	
FOCT	M(3000)F1		1	1	ı	ı	1	1	1	1	ı	3,90	4 0C	4.10	4.00	4.30	4.20	4.10	4.00	!	1	ļ	ı	1	ł	1	
City of City	<u>.</u>	(%c)	1	1	ı	ı	ı	1	1	1	1	ঝ	4.2	4.2	4.4	4.3	4.	4.1	4.0	ı	ı	1	ŀ	1	1	ı	
MEDIAN VALUES JULY 1964	<u>1</u>	(km)	310	285	285	250	260	268	250	220	210	210	200	190	190	200	190	190	200	220	240	220	225	260	280	290	
(7 SH)	1 E	(km)	1	1	1	ı	1	i	1	1	360	400	430	460	460	435	440	395	350	305	ı	1	*	1	1	i	
	M(SCOOPE2		3.00	3.40	297	į	ŀ	1	3,40	3.20	2.45	2.60	2,30	2,30	2,33	2,38	2,45	2.60	2.70	3.00	3.20	3.40	3.40	3.28	3,15	3.10	THE PROPERTY OF THE PROPERTY O
	FaF2	(Mc)	3.1	3.1	2.7	ı	1	1															0.9				
	fein	(Mc)	} •	es es		- 4		4				-				4						- 4					characteristics with the control of
	Hour	Local	00	01	0.2	03	8	05	8	0.7	08	60	01	11	12	13	7	15	91	1 7	81	13	20	21	22	23	V-144

* Insufficient data for reliable median

IONOSPHERIC DATA MONTHLY MEDIAN CHARACTERISTICS BANGKOK, THAILAND JULY 1964




FIG. 1 SUMMARY GRAPHS

STANFORD RESEARCH INSTITUTE

MENLO PARK CALIFORNIA

Regional Offices and Laboratories

Southern California Laboratories 820 Mission Street South Pasadena, California 91031

Washington Office 803-17th Street, N.W. Washington, D.C. 20006

New York Office 270 Fark Avenue, Room 1770 New York, New York 10017

Detroit Office 1025 East Maple Road Birmingham, Michigan 48011

European Office Pelikanstrasse 37 Zurich 1, Switzerland

Japan Office
Nomura Security Building, 6th Floor
1–1 Nihonbashidori, Chuo-ku
Tokyo, Japan

Retained Representatives

Toronto, Ontario, Canada Cyril A. Ing \$7 Yonge Street, Room 710 Toronto 1, Ontario, Canada

Milan, Italy
Lorenzo Franceschini
Via Macedonio Melloni, 49
Milan, Italy